Application No.: 10/662,275

Examiner: Travis R. Hunnings

Art Unit: 2632

LIST OF CURRENT CLAIMS

1-9 (Cancelled)

10. (Previously amended) A multifunction car theft alarm lock with tire pressure

sensing device used in a transportation vehicle, comprising:

a T-shaped lock unit having a coupling adapted to couple the lock unit to a steering

wheel of a transportation vehicle;

a digital electronic lock operably connected to said coupling to selectively release

said coupling from the steering wheel;

a key insertable into the lock unit for releasing the coupling;

a sensor module with a plurality of sensing functions, including an infrared sensing

function, a horizontal motion sensing function and a vertical motion sensing function, used

to detect a status of the transportation vehicle and to output a signal of detection when the

status of the transportation vehicle has been changed;

at least one tire pressure sensor for detecting a status of a tire pressure of the

transportation vehicle and for transmitting a signal of low pressure if the tire pressure

drops below a predetermined pressure value;

an electronic module including the sensor module installed in the lock unit, for

inputting the signal of low pressure and outputting the signal of detection and the signal of

low pressure to a far end;

a setting device adapted for receiving the signal of detection and the signal of low

pressure, the setting device providing a sound and lighting effect corresponding to each of

the signal of detection and the signal of low pressure;

a power supply unit for providing a necessary working power to the lock unit and

the electronic module;

a standby power set for providing a standby power supply; and

2

Application No.: 10/662,275

Examiner: Travis R. Hunnings

Art Unit: 2632

a standby power circuit for providing the standby power supply to the lock unit and

the electronic module if the power supply unit fails.

11. (Previously amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 10, wherein the digital electronic lock has a digital ID

code stored therein, and the key is a digital electronic key having a corresponding ID code;

and wherein the digital electronic lock disables the coupling between the lock unit and the

steering wheel if the digital ID code and the corresponding ID code match after insertion

of the digital electronic key into the lock unit.

12. (Cancelled)

13. (Cancelled)

14. (Currently Amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 13, wherein the horizontal motion sensing function and

the vertical motion sensing function are provided by two identical electronic sensors;

wherein one electronic sensor positioned horizontally vertically provides the vertical

motion sensing function to detect a vertical vibration of the transportation vehicle, and

another electronic sensor positioned vertically horizontally provides a horizontal motion

sensing function to detect if the door of the transportation vehicle opens.

15. (Previously amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 10, wherein the infrared sensing function detects

movement of a human body in the transportation vehicle.

3

Application No.: 10/662,275

Examiner: Travis R. Hunnings

Art Unit: 2632

16. (Previously amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 10, wherein each at least one tire pressure sensor is

coupled to an air nozzle.

17. (Previously amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 10, wherein each at least one tire pressure sensor is

coupled to the inside of a tire.

18. (Previously amended) The multifunction car theft alarm lock with tire pressure

sensing device as claimed in claim 10, wherein each at least one tire pressure sensor

includes a transmitter for transmitting the signal of low pressure.

19. (Original) The multifunction car theft alarm lock with tire pressure sensing

device as claimed in claim 10, wherein the power supply unit comprises a power detector

and a power alarm, and wherein the power detector is used to detect the power level of the

power supply unit and to enable the power alarm if a power supply from said power

supply unit is below a predetermined value.

20. (Original) The multifunction car theft alarm lock with tire pressure sensing

device as claimed in claim 10, wherein the power supply unit, the electronic module, and

the standby power circuit are installed in the lock unit.

4